


2.1m MAXIMUM HEIGHT



3.0m MAXIMUM HEIGHT

SHOWING TYPICAL BACKFILLING, PLASTER FINISH, AND OTHER DETAILS APPLICABLE TO ALL RETAINING WALLS.

NOTES:

1. THE DESIGN OF ALL RETAINING WALLS SHALL BE PROVIDED BY A REGISTERED ENGINEER
2. THE BACKFILL SHALL NOT SLOPE UPWARDS AWAY FROM THE WALL AT AN ANGLE GREATER THAN 15°.

E	14/4/09	METAL BRIDGES CHANGED TO THERMOPLASTIC BRIDGES	W.L.	CGF			
D	28-1-00	NOTES ALTERED AS PER BRANZ RECOMMENDATIONS	W.L.	WWR			
	DATE	DESCRIPTION	ENG	DRN	EN.CK	DN.CK	APP.

INSULFORM NZ
CHRISTCHURCH, NZ.
E.P.S. THERMOPLASTIC BRIDGE BLOCK CONTINUOUS REINFORCED CONCRETE WALL SYSTEMS. PAT.NO.247577
Phone: 384 3804
Fax: 384 0009

STRUCTURAL ENGINEERS
YY LEWIS & BARROW LTD
PH 366 4320 CHRISTCHURCH

TYPICAL RETAINING WALLS TO 3.0m HIGH

ENG	W.L.	FILE	DRAWING
DRN	B.T	6157 13	E
CHK	W.L.		
DATE	5/94		